TECNOVIDEO

CCTV SYSTEMS AND ACCESSORIES

ACCESSORIES

MOUNTING BRACKETS AND ADAPTERS

- COMPREHENSIVE RANGE OF MOUNTS TO FULLFILL ANY SORT OF INSTALLATION
- AISI316L STAINLESS STEEL CONSTRUCTION
- FOR USE IN HIGHLY CORROSIVE ENVIRONMENTS
- SOLID CONSTRUCTION
- EASY INSTALLATION AND ORIENTATION

TECHNICAL SPECIFICATIONS

GENERAL & MECHANICAL

Dimensions	See dimensions drawings
Construction	AISI316L Stainless Steel
Mounting	See drawings next page

	Weight	
Model	Unit [kg]	Package [kg]
SSBK-S	2	3
SSBK-M	6	7
SSBK-L	10	11
SSBK-XL	7	8
SSPM-S	3	4
SSPM-M	5	6
SSPTM-S	1	1,5
SSPTM-M	2,5	3
SSBKCLN-S	3,5	4,5
SSDM-M	1	1,5
SSBKCLN-XS	1,7	2,2

CERTIFICATIONS

RoHS	2011/65/EU + 2015/863/EU (RoHS 3)
WEEE	2012/19/EU

MODELS

SSBK-S	Wall mounting bracket for 129/TSF, 129AC/TSF-AC and IRLED/TSL Series
SSBK-M	Wall mounting bracket for 129LC, 168, EX129/TXF, EXIRLED/TXL, CHEP Series, and for SSDM-M adapter
SSBK-L	Wall mounting bracket for PTZ200/TSP, PTZ250, EXPTZ/TXP, and EXPT/TXP-LB Series
SSBK-XL	Wall mounting bracket for 254 Series
SSBKCLN-XS	Ceiling mount bracket for TXC Series
SSBKCLN-S	Ceiling mounting bracket for 129/TSF, 129AC/TSF-AC and IRLED/TSL Series
SSPM-S	Pole mount adapter for TSC/TXC Series, 118 Series, SSBK-S bracket
SSPM-M	Pole mount adapter for SSBK-M, SSBK-L and SSBK-XL brackets
SSPTM-S	Pole TOP mount adapter for 129/TSF, 129AC/TSF-AC and IRLED/TSL Series
SSPTM-M	Pole TOP mount adapter for 129LC, 168, EX129/TXF, EXIRLED/TXL, CHEP Series
SSDM-M	Adapter to mount two items on a single SSBK-M bracket[1]

[1] The following combinations are possible:
- two 129/EX129 or TSF/TXF Series camera housings
- one 129/EX129 or TSF/TXF Series camera housing and one IRLED/EXIRLED or TSL/TXL illuminator

HAZARDOUS AREA RANGE

	EXPTZ/TXP	EXPTZ-LED/ TXP-LED	EXPTZ-DUAL/ TXPD	EXPT-CR/TXP-LB	EX129/TXF	CHEP	EXIRLED/TXL	TXC
SSBK-M					X	X	X	
SSBK-L	X	X	X	X				
SSPM-S								X
SSPTM-M					X	X	X	
SSBKCLN-XS								X

SAFE AREA RANGE

	PTZ200/ SAP200/TSP	PTZ250/ SAP250	118/TSC	129/TSF	168	254	129AC/TSF-AC	129LC	IRLED/TSL
SSBK-S			X	X			X		X
SSBK-M					X			X	
SSBK-L	X	X							
SSBK-XL						X			
SSPTM-S				X			X		X
SSPTM-M					X			X	
SSBKCLN-S				X			X		X

SSBK-S DIMENSIONS









SSBK-M DIMENSIONS









SSBK-L DIMENSIONS









SSBK-XL DIMENSIONS









SSBKCLN-XS DIMENSIONS







SSBKCLN-S DIMENSIONS







SSPM-S DIMENSIONS







SSPM-M DIMENSIONS







SSPTM-S DIMENSIONS







Tecnovideo S.r.l. - Via A. De Gasperi, 3 36030 Villaverla (VI) ITALY - Tel. +39.0445.350444 - info@tecnovideocctv.com

SSPTM-M DIMENSIONS









SSDM-M DIMENSIONS









Dimensions in millimetres – Tolerances according QMS – Design and products specifications subject to change without notice – rev. 20241122

Tecnovideo S.r.l. - Via A. De Gasperi, 3 36030 Villaverla (VI) ITALY - Tel. +39.0445.350444 - info@tecnovideocctv.com